Convertible Access Controller/ Reader

Secukey Technology Co., Ltd.

www.secukey.com.cn





S2-X Convertible Access Controller / Reader







S2-X

S2-X Convertible Access Controller / Reader

Main Features

- Waterproof, conforms to IP66
- One relay, 1000 users
- Access modes: Card, PIN, Card + PIN, Multi Cards
- Card type: 125KHz EM & 13.56MIFARE
- PIN length: 4~6 digits
- Wiegand 26~44 bits input & output
- User data can be transferred by Wiegand line
- Pulse mode, toggle mode
- 2pcs device support interlock for two doors

S2-X Convertible Access Controller / Reader

Unique Features


1. **Can transfer user data via Wiegand wire**



S2-X Convertible Access Controller / Reader

Unique Features

2. Freely Convertible in 3 Working Modes
(Can work as standard reader, with LED & Buzzer)



S2-X Convertible Access Controller / Reader

Specifications

User Capacity Common User Panic User Visitor User Authorized User	**1000** 987 2 10 1
Operating Voltage Idle Current	**12~18V DC** < 35mA
Proximity Card Reader Radio Technology Read Range	**EM+MIFARE** 125KHz & 13.56MHz 2~6 cm
Wiring Connections	Relay Output, Exit Button, Alarm, Door Contact, Wiegand Input & Output
Relay Adjustable Relay Output Time Lock Output Load	**One (NO, NC, Common)** 0~99 Seconds (5 seconds default) 2 Amp Maximum
Wiegand Interface	Wiegand 26-44 bits input & output 4 bits, 8bits, 10bits virtual card number
Environment Operating Temperature Operating Humidity	**Meets IP67** -40 ℃ ~ 60 ℃(-40℉ ~ 140℉) 0%RH ~ 98%RH
Physical Color Dimensions Unit Weight Shipping Weight	**ABS Shell** Black (White optional) L102 x W48 x H20 (mm) 100g 150g

S2-X Convertible Access Controller / Reader

Product Size & Weight





L : 103mm
W : 48mm
H : 20mm
G.W : 0.1kg

S2-X Convertible Access Controller / Reader

Package (40pcs/carton)













Gift box size



Carton Size

THANKS

Add: Floor 5, Building 13, Longbi Industrial Park, Dafa Road,
Bantian Subdistrict , Longgang District, Shenzhen, China
Tel: +86-755-2679 5455
Email: windy@secukey.com.cn
Skype: windyliu9
Web: www.secukey.net